

Spectracide

TERMINATE

**REPLACEMENT
STAKES**

5 STAKES

*Use To Replace Termite Stakes
Already In Use Or For Additional
Protection In Termite Critical Areas*



Made with
Dow Technology

Spectracide

TERMINATE

**REPLACEMENT
STAKES**

5 STAKES

*Use To Replace Termite Stakes
Already In Use Or For Additional
Protection In Termite Critical Areas*

TERMITE DETECTION & KILLING STAKES₂

Estacas para detectar y matar termitas₂



2
*Products
In One!*

**Pop-up Indicator DETECTS Termite Activity
KILLS Foraging Termites**



Installs In Minutes • Money Back Guarantee[†]
For active infestations, contact a Dow[®] professional at getsentricon.com or 1-800-352-6776

Active Ingredient:
Hexaflumuron 0.50%
Other Ingredients 99.50%

[†]For terms of guarantee,
see bottom.

See Directions for Use for more information.

**NOT RECOMMENDED AS SOLE PROTECTION AGAINST TERMITES,
& FOR ACTIVE INFESTATIONS, GET A PROFESSIONAL INSPECTION.**

**DO NOT ALLOW CHILDREN
OR PETS TO PLAY WITH STAKES**
CAUTION See back panel and enclosed booklet for
additional precautionary information.

**NO PERMITA QUE LOS NIÑOS NI LAS
MASCOTAS JUEGUEN CON LAS ESTACAS**

PRECAUCIÓN Consulte el panel posterior y el folleto incluido para conocer
información adicional sobre las declaraciones preventivas.

Para obtener más información, consulte el Modo de empleo.

**NO SE RECOMIENDA COMO ÚNICA PROTECCIÓN CONTRA LAS TERMITAS, Y EN
EL CASO DE INFESTACIONES ACTIVAS, SOLICITE UNA INSPECCIÓN PROFESIONAL.**

Contains 5 - 0.25 oz Stakes
Contiene 5 estacas de 0.25 onzas

TOTAL NET WT
1.25 oz (35.4 g)

5 REPLACEMENT STAKES

**EASY-TO-FIND
LOCATOR
SHIELDS**



[†]LIMITED WARRANTY • Satisfaction guaranteed or your money back. If within 15 months after purchase you are not satisfied with the product for any reason, return all of the termite stakes together with (a) the proof-of-purchase UPC code designation on the package and (b) the dated store receipt showing the price you paid to Spectrum Group, PO Box 142642, St. Louis, MO 63114-0642 with your request for replacement or refund. Please allow 6-8 weeks for processing. This warranty is subject to these limitations: You must be the original purchaser of this product and you must follow all directions on the product label. This warranty does not apply if the products have been misused, abused or used in commercial applications. Replacement of the product or refund of the purchase price is your exclusive remedy. This is Spectrum Group's only warranty of this product. Spectrum Group disclaims all other warranties to the extent permitted by law. This express warranty and any implied warranties of merchantability and fitness for a particular purpose shall not extend beyond the warranty period. Spectrum Group is not responsible for any incidental or consequential damages. Some states do not allow limitations on how long implied warranties last, or on the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state. This warranty is applicable only to products purchased and retained in the United States, its territories and possessions. Please call Spectrum Group toll-free at 1-888-545-5837 if you have any questions about this warranty. Your warranty is valid only upon your completing, signing and returning the registration card inside this box to Spectrum Group within thirty (30) days of your purchasing the product. To register online, visit www.spectracide.com, click on the Customer Help Tab and select "Warranty Registration".

Made in China
Distributed by Spectrum Group
Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-299-8845
EPA Est. No. 81825-CHN-1
16-11220 © 2014 UIC

Dow[®] and the DOW DIAMOND
are ©Trademarks of
The Dow Chemical Company

PROOF OF PURCHASE

071121 96116 7



TERMINATE

TERMITES DETECTION & KILLING STAKES²

Estacas para detectar y matar termitas.



REPLACEMENT STAKES

5 STAKES

Use to Replace Termite Stakes Already in Use Or For Additional Protection in Termite Critical Areas

EASY TO USE!

Place stakes 2 to 3 ft away from home and no more than 10 ft apart.
Coloque las estacas a una distancia de 2 a 3 pies de la casa y no más de 10 pies de separación entre sí.

under or around deck or crawl space

below o alrededor de la plataforma o túnel de servicio

Termite

Favorable area



REPLACEMENT STAKES

TERMINATE

TERMITES DETECTION & KILLING STAKES²

Estacas para detectar y matar termitas.

1. GATHER TOGETHER:

- Spectracide Termimate[®] Termite Detection & Killing Stakes, and locator shields
- Tape measures

2. DETERMINE THE NUMBER OF STAKES YOU NEED. The number of stakes needed is determined by the distance around the outside of your house. To estimate, use the square footage of your home excluding your garage, attached decks, patios and porches. Home designs vary, but if you know the approximate square footage of your home, the chart will help you choose the number of stakes you need.

NUMBER OF STAKES NEEDED	10 STAKES	20 STAKES
TWO-STORY HOME	Up to 1,500 sq ft	1,500 to 3,000 sq ft or more
ONE-STORY HOME	Up to 1,200 sq ft	1,200 to 2,500 sq ft or more

3. PREPARE DRAWING OF YOUR HOUSE. Using the enclosed graph paper, make a drawing of the

outside of your house. Note areas on the drawing such as doors, bushes, chimneys, etc., that will help you locate the stakes during the inspection process. Look for areas that are likely to support termite activity and note them on your drawing. These might include areas that retain moisture around downspouts, spigots, air conditioner lines and roof areas near roof drainage.

4. INSTALL THE STAKES AROUND THE HOUSE. Using an auger, dig holes 2 to 3 ft away from the foundation and no more than 10 ft apart (DETAIL A). Insert the stakes with locator shield in the holes. Place stakes closer together in "Termite Critical Areas" (DETAIL B). **Note: Do not use auger for any purpose other than installation of the Spectracide Termimate[®] Termite Detection & Killing Stakes.**

5. INSPECT THE STAKES. Check the stakes for termite activity

When the pop-up indicator is seen by pulling the stakes from the ground. The locator shields will help make removal of the stakes easier. It is important to check the stakes every three months. If you live in an area suspected to contain Formosan subterranean termites, the frequency of stake inspection should be increased to once a month.


Look for signs that the bait has been eaten (DETAIL C) or that termites are present inside the stake (DETAIL D).

If evidence of termite activity is found in any stake, take the following steps:

- 1) Replace the active stake with a new stake.
- 2) Install additional stakes (three or more) within one foot of the infested stake; and
- 3) Note the date, the location and the additional stakes on your drawing.

All stakes must be replaced or removed every 12 months. Be sure to wash your hands thoroughly after completing the inspection.

Do not reuse the bait cartridges. Subterranean termites secrete colony-specific pheromones left in the bait by one colony will cause feeding deterrence or repelleny to other colonies, causing it to be ineffective.



DIRECTIONS FOR USE

STOP READ ENTIRE LABEL & INSTRUCTION MANUAL BEFORE USE. Complete directions for use are enclosed.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home.



1. GATHER TOGETHER:

- Spectracide Termimate[®] Termite Detection & Killing Stakes, and locator shields
- Enclosed graph paper
- Auger
- Power drill (optional)

2. DETERMINE THE NUMBER OF STAKES YOU NEED. The number of stakes needed is determined by the distance around the outside of your house. To estimate, use the square footage of your home excluding your garage, attached decks, patios and porches. Home designs vary, but if you know the approximate square footage of your home, the chart will help you choose the number of stakes you need.

3. PREPARE DRAWING OF YOUR HOUSE. Using the enclosed graph paper, make a drawing of the outside of your house. Note areas on the drawing such as doors, bushes, chimneys, etc., that will help you locate the stakes during the inspection process. Look for areas that are likely to support termite activity and note them on your drawing. These might include areas that retain moisture around downspouts, spigots, air conditioner lines and roof areas near roof drainage.

4. INSTALL THE STAKES AROUND THE HOUSE. Using an auger, dig holes 2 to 3 ft away from the foundation and no more than 10 ft apart (DETAIL A). Insert the stakes with locator shield in the holes. Place stakes closer together in "Termite Critical Areas" (DETAIL B). **Note: Do not use auger for any purpose other than installation of the Spectracide Termimate[®] Termite Detection & Killing Stakes.**

Look for signs that the bait has been eaten (DETAIL C) or that termites are present inside the stake (DETAIL D).

If evidence of termite activity is found in any stake, take the following steps:

- 1) Replace the active stake with a new stake.
- 2) Install additional stakes (three or more) within one foot of the infested stake; and
- 3) Note the date, the location and the additional stakes on your drawing.

All stakes must be replaced or removed every 12 months. Be sure to wash your hands thoroughly after completing the inspection.

Do not reuse the bait cartridges. Subterranean termites secrete colony-specific pheromones left in the bait by one colony will cause feeding deterrence or repelleny to other colonies, causing it to be ineffective.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Store in original container in a dry storage area. Pesticide Disposal: Product not disposed of by use according to label directions should be wrapped in paper and placed in a trash can.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

First Aid • If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a doctor for more information. **HAZARD TO HUMANS AND DOMESTIC ANIMALS:** Irritation of eyes, nose, throat, and skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. **HAZARD TO HUMANS AND DOMESTIC ANIMALS:** Irritation of eyes, nose, throat, and skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-888-545-5837 or visit our website at www.spectracide.com


ALTO ANTES DE USAR, LEA TODA LA ETIQUETA Y EL MANUAL DE INSTRUCCIONES. Se incluyen las instrucciones completas.



TERMINATE

TERMITES DETECTION & KILLING STAKES²

Estacas para detectar y matar termitas.



1. JUNTE LO SIGUIENTE:

- Papel cuadrado incluido
- Estacas para detectar y matar termitas, y escudos de detección de Spectracide Termimate[®]
- Cinta para medir
- Taladro eléctrico (opcional)
- Barrena

CANTIDAD DE ESTACAS NECESARIAS	10 ESTACAS	20 ESTACAS
CASA DE DOS PISOS	Hasta 1,500 pies cuadrados	1,500 a 3,000 pies cuadrados o más
CASA DE UN PISO	Hasta 1,200 pies cuadrados	1,200 a 2,500 pies cuadrados o más

3. HAGA UN DIBUJO DE SU CASA. Usando el papel cuadrado incluido, haga un dibujo del exterior de su casa. Marque en el dibujo zonas tales como puertas, ventanas, chimeneas, etc., que le ayudarán a localizar las estacas durante el proceso de inspección. Busque zonas que tengan probabilidad de mantener humedad alrededor de tuberías, desagües, grifos, tubos de aire acondicionado y zonas bajas con drenaje inusualmente.

4. INSTALE LAS ESTACAS ALREDEDOR DE LA CASA. Usando una barrena, cave orificios a una distancia de 2 a 3 pies de los cimientos y separados entre sí no más de 10 pies (DETALLE A). Inserte las estacas con los escudos. Coloque las estacas más cercanas entre sí en las zonas con drenaje inusualmente.

5. INSPECCIONE LAS ESTACAS. Cuando se ve el indicador emergente, revise las estacas sospechosas que hay termitas subterráneas de Formosa, debe aumentarla la frecuencia de las inspecciones a una vez por mes.

Busque señales que indiquen que el cebo fue comido (DETALLE C) o de la presencia de termitas en la estaca (DETALLE D).

Si encuentra evidencia de actividad de termitas en algunas estacas, siga los pasos siguientes:

- 1) Reemplace la estaca activa con una nueva.
- 2) Instale estacas adicionales (tres o más) a una distancia no superior a un pie de la estaca infestada.
- 3) Anote la fecha y ubicación de todas las estacas adicionales en el dibujo de su casa.

Se deben reemplazar o retirar todas las estacas cada 12 meses. Asegúrese de lavarse muy bien las manos después de realizar la inspección.

No vuelva a usar los cartuchos de cebo. Las termitas comen el cebo al alimentarse y se comunican a su colonia que se incorporan al cebo al alimentarse. Las termitas comen el cebo al alimentarse y se comunican a su colonia que se incorporan al cebo al alimentarse.

3. HAGA UN DIBUJO DE SU CASA. Usando el papel cuadrado incluido, haga un dibujo del exterior de su casa. Marque en el dibujo zonas tales como puertas, ventanas, chimeneas, etc., que le ayudarán a localizar las estacas durante el proceso de inspección. Busque zonas que tengan probabilidad de mantener humedad alrededor de tuberías, desagües, grifos, tubos de aire acondicionado y zonas bajas con drenaje inusualmente.

4. INSTALE LAS ESTACAS ALREDEDOR DE LA CASA. Usando una barrena, cave orificios a una distancia de 2 a 3 pies de los cimientos y separados entre sí no más de 10 pies (DETALLE A). Inserte las estacas con los escudos. Coloque las estacas más cercanas entre sí en las zonas con drenaje inusualmente.

5. INSPECCIONE LAS ESTACAS. Cuando se ve el indicador emergente, revise las estacas sospechosas que hay termitas subterráneas de Formosa, debe aumentarla la frecuencia de las inspecciones a una vez por mes.

Busque señales que indiquen que el cebo fue comido (DETALLE C) o de la presencia de termitas en la estaca (DETALLE D).

Si encuentra evidencia de actividad de termitas en algunas estacas, siga los pasos siguientes:

- 1) Reemplace la estaca activa con una nueva.
- 2) Instale estacas adicionales (tres o más) a una distancia no superior a un pie de la estaca infestada.
- 3) Anote la fecha y ubicación de todas las estacas adicionales en el dibujo de su casa.

Se deben reemplazar o retirar todas las estacas cada 12 meses. Asegúrese de lavarse muy bien las manos después de realizar la inspección.

?Preguntas o comentarios? Llame al 1-888-545-5837.



TERMINATE

TERMITES DETECTION & KILLING STAKES²

Estacas para detectar y matar termitas.



1. JUNTE LO SIGUIENTE:

- Papel cuadrado incluido
- Estacas para detectar y matar termitas, y escudos de detección de Spectracide Termimate[®]
- Cinta para medir
- Taladro eléctrico (opcional)
- Barrena

CANTIDAD DE ESTACAS NECESARIAS	10 ESTACAS	20 ESTACAS
CASA DE DOS PISOS	Hasta 1,500 pies cuadrados	1,500 a 3,000 pies cuadrados o más
CASA DE UN PISO	Hasta 1,200 pies cuadrados	1,200 a 2,500 pies cuadrados o más

3. HAGA UN DIBUJO DE SU CASA. Usando el papel cuadrado incluido, haga un dibujo del exterior de su casa. Marque en el dibujo zonas tales como puertas, ventanas, chimeneas, etc., que le ayudarán a localizar las estacas durante el proceso de inspección. Busque zonas que tengan probabilidad de mantener humedad alrededor de tuberías, desagües, grifos, tubos de aire acondicionado y zonas bajas con drenaje inusualmente.

4. INSTALE LAS ESTACAS ALREDEDOR DE LA CASA. Usando una barrena, cave orificios a una distancia de 2 a 3 pies de los cimientos y separados entre sí no más de 10 pies (DETALLE A). Inserte las estacas con los escudos. Coloque las estacas más cercanas entre sí en las zonas con drenaje inusualmente.

5. INSPECCIONE LAS ESTACAS. Cuando se ve el indicador emergente, revise las estacas sospechosas que hay termitas subterráneas de Formosa, debe aumentarla la frecuencia de las inspecciones a una vez por mes.

Busque señales que indiquen que el cebo fue comido (DETALLE C) o de la presencia de termitas en la estaca (DETALLE D).

Si encuentra evidencia de actividad de termitas en algunas estacas, siga los pasos siguientes:

- 1) Reemplace la estaca activa con una nueva.
- 2) Instale estacas adicionales (tres o más) a una distancia no superior a un pie de la estaca infestada.
- 3) Anote la fecha y ubicación de todas las estacas adicionales en el dibujo de su casa.

Se deben reemplazar o retirar todas las estacas cada 12 meses. Asegúrese de lavarse muy bien las manos después de realizar la inspección.

No vuelva a usar los cartuchos de cebo. Las termitas comen el cebo al alimentarse y se comunican a su colonia que se incorporan al cebo al alimentarse.

3. HAGA UN DIBUJO DE SU CASA. Usando el papel cuadrado incluido, haga un dibujo del exterior de su casa. Marque en el dibujo zonas tales como puertas, ventanas, chimeneas, etc., que le ayudarán a localizar las estacas durante el proceso de inspección. Busque zonas que tengan probabilidad de mantener humedad alrededor de tuberías, desagües, grifos, tubos de aire acondicionado y zonas bajas con drenaje inusualmente.

4. INSTALE LAS ESTACAS ALREDEDOR DE LA CASA. Usando una barrena, cave orificios a una distancia de 2 a 3 pies de los cimientos y separados entre sí no más de 10 pies (DETALLE A). Inserte las estacas con los escudos. Coloque las estacas más cercanas entre sí en las zonas con drenaje inusualmente.

5. INSPECCIONE LAS ESTACAS. Cuando se ve el indicador emergente, revise las estacas sospechosas que hay termitas subterráneas de Formosa, debe aumentarla la frecuencia de las inspecciones a una vez por mes.

Busque señales que indiquen que el cebo fue comido (DETALLE C) o de la presencia de termitas en la estaca (DETALLE D).

Si encuentra evidencia de actividad de termitas en algunas estacas, siga los pasos siguientes:

- 1) Reemplace la estaca activa con una nueva.
- 2) Instale estacas adicionales (tres o más) a una distancia no superior a un pie de la estaca infestada.
- 3) Anote la fecha y ubicación de todas las estacas adicionales en el dibujo de su casa.

Se deben reemplazar o retirar todas las estacas cada 12 meses. Asegúrese de lavarse muy bien las manos después de realizar la inspección.

?Preguntas o comentarios? Llame al 1-888-545-5837.



KILL! Subterranean termites around your house



DETECT! Place stakes every 10 ft around home and 2 to 3 ft from the foundation

2 Products In One!

Use more stakes in termite critical areas