#### Makes up to 85 Gallons

#### CONTROLS:

Martin's

 Annual δ Perennial Weeds

0

Ο

- Shrubs
- Vines

#### WEED & GRASS KILLER CONCENTRATE

- Concentrated for extra value
- Low odor water-based formulation
- Rainproof in hours
- Kills unwanted vegetation existing weeds only
- Replant flowers in 1 day, new lawns in 7 days after treatment

#### **ACTIVE INGREDIENT:**

*Glyphosate, N-(phosphonomethyl)glycine,	
in the form of its isopropylamine salt	
OTHER INGREDIENTS:	
TOTAL:	

\*Acid equivalent or glyphosate content = 30.34%

#### **KEEP OUT OF REACH OF CHILDREN** CAUTION

See Back Panel Booklet for Additional Precautionary Statements and Complete Directions for Use.

#### A CONTROL SOLUTIONS INC. PRODUCT

NET CONTENTS: 1 GALLON



### 0 Gallons lakes up to

- Concentrated for extra value
- Low odor water-based formulation
- -Rainproof in hours
- Kills unwanted vegetation existing weeds only
- after treatment Replant flowers in 1 day, new lawns in 7 days

### **ACTIVE INGREDIENT:**

TOTAL: **OTHER INGREDIENTS:..** \*Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt . 100.00% 41.00%

### **KEEP OUT OF REACH OF CHILDREN** AUTION

# See Back Panel Booklet for Additional Precautionary

A CONTROL SOLUTIONS INC. PRODUCT

**Statements and Complete Directions for Use** 

\*Acid equivalent or glyphosate content = 30.34%

9

Π

CONTEN



Vines



CONTROLS:











#### 6 x 1 QUART

#### **ERASER**<sup>TM</sup> WEED & GRASS KILLER CONCENTRATE

Control Solutions, Inc. Pasadena, TX 77507



Product Code MART4318



#### WEED & GRASS KILLER CONCENTRATE Z D S I

### **ACTIVE INGREDIENT:**

	• Sopropylamine salt
nethyl)	*Glyphosate, [N-(phosphonomethyl) glycine], in the form of its

×

content = 30.34%

### EPA Reg. No. 53883-286 EPA Est. No. 53883-TX-002

#### **KEEP OUT OF REACH** OF CHILDREN CAUTION

See inside booklet for additional Precautionary

**CONTROL SOLUTIONS, INC.** 5903 Genoa-Red Bluff

Statements, First Aid and Directions for Use

**NET CONTENTS: 1 PINT** Pasadena, TX 77507-1041

# PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

### CAUTION

water after handling. skin or clothing. Wash thoroughly with soap and moderate eye irritation. Avoid contact with eyes Harmful if absorbed through the skin. Causes

#### FIRST AID

or going for treatment. You may also contact when calling a poison control center or doctor Have the product container or label with you

SafetyC	SafetyCall <sup>®</sup> International (866) 897-8050 for
emerge	emergency medical treatment information.
IF ON	<ul> <li>Take off contaminated clothing.</li> </ul>
SKIN	Rinse skin immediately with plenty of
	water for 15-20 minutes.
	Call a poison control center or doctor
	for treatment advice.
IF IN	• Hold eye open and rinse slowly and
EYES	gently with water for 15-20 minutes.
	Remove contact lenses, if present,
	after the first 5 minutes, then continue
	rinsing eye.
	<ul> <li>Call a poison control center or doctor</li> </ul>

# **ENVIRONMENTAL HAZARDS**

for treatment advice.

ರ will help to ensure that wind or rain does not below or wash pesticide off the treatment rain is not predicted for the next. 24 hours drainage ditches, gutters or surface waters pesticide to enter or run off into storm drains Applying this product in calm weather when protect the environment, do not allow

area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

# Eraser<sup>™</sup> eliminates nearly all common weeds and grasses and unwanted vegetation.

Add water and use along fences, in driveways, sidewalks, brick and gravel walkways, next to trees and shrubs, and around buildings to control weeds and unwanted vegetation. Use **Eraser** for edging landscapes. **Eraser** is suited for lawn renovation or to prepare large sites for planting of flower beds, vegetable gardens or wildlife food plots. **Eraser** can also be used for large jobs such as lawn renovation and vegetable and flower garden preparation.

For edging around lawns.

sprayed, wash plants with water immediately affect nearby untreated plants. product has no soil activity and thus will not broken down into natural materials. This Any **Eraser** not absorbed by the plant is cardboard. If desirable plants are accidentally plants and vegetation with a piece of plastic or grasses, shrubs and trees. Protect desirable direct spray or drift onto desirable plants, lawn foliage and moves down to the roots. Avoid plants. It enters plants through the sprayed the production of a substance found only in herbicide that will kill all vegetation contacted **Important:** This product is a This herbicide kills unwanted plants by inhibiting non-selective

**Mixing Directions:** For best results use 2 1/2 oz (5 Tbs) per gallon of water. One gallon of water will treat approximately 300 sq ft.

application. vegetation for Do not mow, cut or otherwise disturb treated at least 7 days following

#### CONTROLS ALL GRASSES INCLUDING: TYPES ę WEEDS AND

### Annual weeds and grasses:

cat's annual grasses and weeds. yellow nutgrass, yellow oxalis and ragwort, teaweed, Texas panicum, tumble mustard spurge, sprangletop, spurges, tansy mustard, tansy sandspur, spurge, puncture vine, purslane, redroot pigweed spurge, goosegrass, green foxtail, hemp sesbania field sandbur, filaree, Florida pusley, foxtail, garder fennel, evening primrose, false dandelion, fal creeping common velvetleat, wild geranium<sup>\*</sup>, witchgrass, wild mustard pennywort, pigweed, chickweed\*, oxalis\*, maiden cane, henbit, horseweed/marestail, ironweed, knotweed panicum, common clover, buttercup, cheeseweed, chickweed, clover, brassbuttons, blue mustard, bromegrass, bur lambsquarters, little bitter cress, London rocket beggarweed, black medic, blue medic, blue toadflax Annual ryegrass, annual bluegrass, barnyardgrass ear, smooth pigweed, sowthistle, fennel, fiddleneck, field pennycress plantain, common ragweed, crabgrass, shepherdspurse, beggarweed, diffuse groundsel; common lambsquarters, mallow, mayweed, Pennsylvania smartweed pickly lettuce, smartweed, lovegrass, many othe mouseear prostrate spottec smooth gop

### Perennial weeds, grasses and brush:

plantain, broadleat plantain, brownseed paspalum, buckhorn bentgrass, Bermuda grass, blackberries, bluegrass Alder, artichoke thistle, bahiagrass, barnyardgrass bull thistle, Canada thistle, cattail

field and many other perennial grasses, weeds, brush yarrow, yellow nutgrass, yellow starthistle, zoysia wild barley, wild blackberry, wild carrot, wilc quaking elderberry, dallisgrass, coralbead, cogongrass, and sedges morning-glory, wild oats, wild-sweet potato, willow vaseygrass, Virginia creeper, white clover, whitetop thistle, timothy, smooth bromegrass, sourdock, sowthistle, St purple cudweed<sup>\*</sup>, purple nutsedge, quackgrass oak, poison ivy, poison hemlock, primrose pennywort, perennial ryegrass, plantain, poisor oldenlandia, nimblewill, knapweed, knawel, kudzu, lantana, maiden cane creeping Charlie, creeping ceanothus, Augustinegrass, sumac, tall fescue, tansy ragwort milkweed, mouseear chickweed\*, multflora rose honeysuckle, horsenettle, Johnsongrass, Kentucky bluegrass, kikuyugrass bindweed, guineagrass, aspen, ragweed, false coyote brush, common mullein, common ragweed centipedegrass, orchardgrass, oxalis\*, pampasgrass, dandelion, dewberry, dog fennel nutgrass (nutsedge), oak species, torpedograss, dandelion, horseradish, raspberry, red clover lantana, creeping cherry, cocklebur hairy crabgrass tescue trumpetcreeper curly dock bentgrass iceplant species

\*Annual or Perennial

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire panel before using this product.

#### **Precautions:**

- Keep children and pets away from treated areas until spray has dried.
- Avoid contamination of food.
- Do not contaminate water supplies.

#### When to use:

Apply to actively growing weeds, preferably before the seed heads form. Completely spray the foliage of the weeds and grasses you want to kill until thoroughly wet. It's best to apply on a warm sunny day when daytime temperatures are above 60° F. Weed control is accelerated by warm sunny weather. Apply when the wind is calm. Rain or watering 2 hours after application will not wash away effectiveness. Most treated weeds usually show initial symptoms in 2-4 days and complete kill in 1-2 weeks. Hard-to-control weeds may require a second application if not completely dead in 4 weeks.

#### How to use:

This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as, instructed on this label (see specific site areas below). Apply with a plastic, aluminum or stainless steel tank-type sprayer.

# Do not apply with galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.

Use a tank-type sprayer with a coarse spray nozzle for spot treatments. Use the ORTHO Dial 'n Spray to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable gardens. Apply to evenly and thoroughly wet weeds and grasses.

# Apply Eraser using any of the following equipment:

- Plastic, aluminum or stainless steel tank sprayer
- ORTHO Dial 'N Spray®
- ORTHO Spray-Ette®
- A hose-end sprayer recommended for weed killers
- Hand-trigger pump sprayer

### **Cleaning Application Equipment:**

To clean sprayer after use, triple rinse sprayer and all sprayer parts with water. Spray rinse water on bare soil or gravel. After thorough cleaning, sprayer can be used for other products. Use the following table to determine the amount of **Eraser** to mix with water. Close cap tightly after use. No need to rinse cap. 1 teaspoon (tsp) 1 tablespoon (Tbs) = 3 tsp.

1 fl oz (2 Tbs) 2 fl oz (4 Tbs)

	Mixing In	structions	
Applicator	Weed Control Annuals or Seedling Weeds	Tough Weed Control Perennials or Brush or Lawn Renovation	Area to Treat
Tank Sprayer	Use 1 ½ oz (3 Tbs) Eraser in 1 gallon of water.	Use 2 ½ oz (5 Tbs) Eraser in 1 gallon of water.	300 sq. ft. (30 ft. x 10 ft) or use for spot treatments.
Ortho Dial 'n Spray; <i>or</i> Hose-End sprayer	Add $1\frac{1}{2}$ oz (3 Tbs) Eraser to sprayer jar. DO NOT ADD WATER. Set Dial to $1\frac{1}{2}$ and spray.	Add 2 ½ oz (5 Tbs) Eraser to sprayer jar. DO NOT ADD WATER. Set Dial to 2 ½ and spray.	300 sq. ft. (30 ft. x 10 ft)

 $\infty$ 

(Continued)

#### (Continued)

	Mixing In	structions	
Applicator	Weed Control Annuals or Seedling Weeds	Tough Weed Control Perennials or Brush or Lawn Renovation	Area to Treat
Ortho Spray-Ette; <i>or</i> 6 Gallon Hose-End Sprayer	Add 6 oz Eraser to sprayer jar. Fill to the 4 gallon mark and spray.	Add 10 oz Eraser to sprayer jar. Fill to the 4 gallon mark and spray.	1200 sq ft (30 ft x 40ft)
Hand trigger sprayers 24 oz capacity	Use 2 tsp in 24 oz of water.	Use 1 Tbs in 24 oz of water.	Use for spot treatments or apply to individual weeds.
Hand trigger sprayers 32 oz capacity	Use 2 2/3 tsp in 32 oz of water.	Use 1 1/3 Tbs in 32 oz of water.	Use for spot treatments or apply to individual weeds.

9

#### Where to use:

this label. spot weed treatment in lawns, since Eraser edging landscapes. NOT recommended for ornamental trees, shrubs, renovation/replacement recommendations on replacing a lawn or parts of a lawn, see **For lawn** kills all green plants, including lawn grasses. If brick and gravel walks. Use for trimming plantings, around buildings. Controls weeds in patios, sidewalks, curbs and driveways, around Weed control: Use near fences, in flower beds and paths and

**Spot treatments:** Direct spray on undesirable weeds and grasses in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Prevent **Eraser** spray from contacting the leaves, green stems, or exposed roots of plants you like. Use a cardboard or plastic shield to protect desirable plants from spray or drift. **Eraser** will not move in or on the soil to untreated plants. If **Eraser** is used to control weeds around fruit or nut trees or grapevines, wait 21 days before eating the fruit or nuts.

**Landscapes:** For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be planted 1 day after treatment.

**Wildlife areas site preparation:** Use **Eraser** to prepare areas for planting wildlife food plots. Exotic or undesirable plants can be controlled with **Eraser** to allow for planting or recovery of native plant species. Spot treatments may be

directed to selectively remove unwanted plants. Avoid spray drift to desirable plants.

**For lawn renovation/replacement:** Use **Eraser** to kill existing vegetation (weeds and grasses and the old lawn). Apply in spring or fall, when daytime temperatures are at least 60° F for best results. If the lawn is dry, water lawn every other day for 7 days before applying **Eraser**. Do not mow for 7 days before or after treatment. Use 2 1/2 fl oz per gallon of water for each 300 sq ft of area to treat.

Wait 7 days after application to prepare the soil by raking, leveling or rototilling.

Rake up and remove loosened thatch or debris. Work in starter fertilizer and soil amendments, if needed. Level the soil.

Sow new seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow. Use temporary mulch such as straw to conserve moisture. Keep area moist for 2 weeks to establish new lawn. Water as needed.

**To Control Brush or Vines:** Apply to green and actively growing brush or vines. For plants taller than 5 feet, cut them back and spray the regrowth. Fall applications to brush may delay control to the following season. A second application may be required on hard-to-control species such as blackberry, kudzu, or poison oak. To kill vines growing up a pole, fence or mature

To kill vines growing up a pole, fence or mature tree trunk, cut vine to a height of 3 to 4 feet and spray thoroughly covering remaining vine. If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these plants, cut vine at base

and treat as directed for stumps or spray regrowth. If spraying regrowth shield shrub and green trunk from drift with a sheet of plastic or cardboard.

**Stump Treatment:** Stumps can be treated to prevent regrowth. Apply **Eraser** when vegetation is actively growing or immediately (within 5 minutes) after being cut down.

- Cut stump close to the soil surface
- Make 4-5 nail holes into the stump.
- Flood the stump with undiluted product

This treatment will suppress or control many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

### When to replant:

# All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be planted <u>1 day</u> after application:

Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, brussels sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentils, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnips, potato, radish, rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams.

# The following fruits, vegetables and herbs may be planted <u>3 days</u> after application:

Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumpkin, squash (summer and winter), tomatillo, tomato\* (by seed) and watercress.

\*Note: Wait 3 days before planting tomatoes from seed and 30 days for rooted tomato transplants. For tomato transplants or vegetables not listed, wait 30 days after spraying before planting into treated soil.

**Fruit and Nut Trees, Caneberries and Grapevines:** Allow 21 days before the fruits or nuts when using **Eraser** to control weeds around fruit or nut trees, caneberries and grapevines.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage and Spill Procedures:** Store upright at room temperature. Avoid exposure to extreme temperatures. Store in a locked area out of reach of children and domestic animals. In case of spillage or leakages, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or

(Continued)

(Continued)

# STORAGE AND DISPOSAL

Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

### **Container Disposal:**

If empty - Nonrefillable container. Do not reuse or refill this container. Do not rinse unless required for recycling. Offer for recycling if available. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**If partly filled:** Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

system. Repeat this procedure two more times into application equipment or rinsate collection the pump for 2 minutes. Pour or pump rinsate container about 10 percent full with water. application equipment or mix tank. Fill the remaining container before final disposal, empty the responsibility of the re-filler. To clean the <u>q</u> not reuse this container for any other purpose For Bulk containers: (Refillable Container) ົດ Refill this Agitate vigorously or re-circulate water with Cleaning the container before final disposa the responsibility of the person disposing the container. Cleaning container with pesticides only. Do contents from this container before refilling is into the

## WARRANTY STATEMENT

of the product for any particular trade usage otherwise, or representations of any kind, either expressec or cancellation of the registration for this product any loss suffered as a result of any suspensior user) shall be entitled to any reimbursement for this product. damages resulting from the use or handling of applicable law, Control Solutions, Inc. shall not application, all of which are beyond the control of of other materials, or the manner of use or of such factors as weather conditions, presence Π this product for any and all losses, injuries, or titness for a particular purpose, use or eligibility including, or implied, or by usage of trade, statutory o Solutions, Inc. makes no warranties, guarantees extent consistent with applicable law, Contro Except, as expressly provided herein and to the by the U.S. Environmental Protection Agency purchaser of this product (other than an enc by the Buyer. In addition to the foregoing, no be liable for consequential, special, or indirect unintended consequences may result because product. Crop injury, ineffectiveness, or other all risks inherently associated with use of this use conditions. It is impossible to eliminate purposes stated on such label only when usec on the label thereof and is reasonably fit for product conforms to the Control The exclusive remedy of any buyer or user of Control Solutions, Inc. To the extent allowed by accordance with directions under norma Solutions, Inc. but not limited to merchantability with regard to the product sold All such risks shall be assumed chemical description warrants that this

damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.



#### EED CONCENTRATE & GRASS KILLER

### **ACTIVE INGREDIENT:**

EPA Reg. No. 53883-286 EPA Est. No. 53883-TX-002

content = 30.34%

#### **KEEP OUT OF REACH Q** AUTION CHILDREN

See attached booklet for additional Precautionary Statements, First Aid and Directions for Use

**CONTROL SOLUTIONS, INC.** 5903 Genoa-Red Bluff

Pasadena, TX 77507-1041

**NET CONTENTS: 1 PINT** 

0611



### WEED & GRASS KILLER T

CONCENTRATE

### **ACTIVE INGREDIENT:**

100.00%	TOTAL: 100.00%
59.00%	OTHER INGREDIENTS:59.00%
41.00%	isopropylamine salt41.00%
	glycine], in the form of its
	*Glyphosate, [N-(phosphonomethyl)

EPA Reg. No. 53883-286 EPA Est. No. 53883-TX-002

\*Acid equivalent or glyphosate content = 30.34%

### **KEEP OUT OF REACH OF CHILDREN** CAUTION

See inside booklet for additional Precautionary Statements, First Aid and Directions for Use.

**CONTROL SOLUTIONS, INC.** 5903 Genoa-Red Bluff

Pasadena, TX 77507-1041

**NET CONTENTS: 1 QUART** 

# PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

### CAUTION

thoroughly with soap and water after handling. irritation. Harmful if Avoid contact with eyes, skin or clothing. Wash absorbed through the skin. Causes moderate eye

#### EYES ĪFIN **IF ON** SKIN emergency medical treatment information. may also contact SafetyCall<sup>®</sup> International (866) 897-8050 for a poison control center or doctor or going for treatment. You Have the product container or label with you when calling • • • • ٠ Take off contaminated clothing. Remove contact lenses, if present, after the first 5 water for 15-20 minutes. 15-20 minutes. Rinse skin immediately with plenty of water for minutes, then continue rinsing eye. Hold eye open and rinse slowly and gently with treatment advice. Call a Call a poison control center poison control center FIRST AID q q doctor doctor for for

## **ENVIRONMENTAL HAZARDS**

treatment advice

to water bodies or drainage systems. application equipment over the treated area will help avoid run off does not below or wash pesticide off the treatment area. Rinsing predicted for the next. 24 hours will help to ensure that wind or rain waters. Applying this product in calm weather when rain is not run off into storm drains, drainage ditches, gutters or surface To protect the environment, do not allow pesticide to enter or

### unwanted vegetation. Eraser<sup>™</sup> eliminates nearly all common weeds and grasses and

as lawn renovation and vegetable and flower garden preparation. or wildlife food plots. Eraser can also be used for large jobs such prepare large sites for planting of flower beds, vegetable gardens and for edging landscapes. Eraser is suited for lawn renovation or to buildings to control weeds and unwanted vegetation. Use Eraser Add water and use along fences, in driveways, sidewalks, brick gravel walkways, next to trees and shrubs, and around

For edging around lawns

product has no soil activity and thus will not affect nearby untreated absorbed by the plant is broken down into natural materials. This sprayed, piece of plastic or cardboard. If desirable plants are accidentally shrubs and trees. Protect desirable plants and vegetation with a roots. Avoid direct spray or drift onto desirable plants, lawn grasses enters plants through the sprayed foliage and moves down to the inhibiting the production of a substance found only in plants. It all vegetation contacted. This herbicide kills unwanted plants by Important: This product is a non-selective herbicide that will kill plants. wash plants with water immediately. Any Eraser not

of water. One gallon of water will treat approximately 300 sq ft. Mixing Directions: For best results use 2 1/2 oz (5 Tbs) per gallon

### least 7 days following application. Do not mow, cut or otherwise disturb treated vegetation for at

### **CONTROLS ALL TYPES OF WEEDS AND GRASSES INCLUDING:** Annual weeds and grasses:

grasses and weeds. mustard, yellow nutgrass, yellow oxalis and many other annua tumble spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop redroot pigweed, sandspur, shepherdspurse, pigweed, pickly lettuce, prostrate spurge, puncture vine, purslane mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, little bitter cress, London rocket, maiden cane, mallow, mayweed foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania dog fennel, evening primrose, false dandelion, fall panicum, fennel fiddleneck, field pennycress, field sandbur, filaree, Florida pusley common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, common groundsel; common lambsquarters, common plantain, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed black medic, blue medic, blue toadflax, brassbuttons, blue mustard henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, mustard, velvetleaf, wild geranium<sup>\*</sup>, witchgrass, smartweed, smooth Florida pusley, wild

### Perennial weeds, grasses and brush:

curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false coyote brush, creeping bentgrass, creeping Charlie, creeping lantana cogongrass, thistle, brownseed Bermuda Alder, artichoke thistle, bahiagrass, barnyardgrass, cattail, ceanothus, centipedegrass, cherry, cocklebur, grass, paspalum, buckhorn plantain, common mullein, common ragweed, blackberries, bluegrass, bull thistle, broadleaf plantain, bentgrass, coralbead Canada

wild carrot, wild morning-glory, wild oats, wild-sweet potato, willow, sourdock, sowthistle, St. Augustinegrass, sumac, tall fescue, tansy quaking aspen, ragweed, raspberry, red clover smooth bromegrass milkweed, mouseear chickweed\*, multflora rose, nimblewill, nutgrass bluegrass, kikuyugrass, knapweed, knawel, kudzu, lantana, maiden cane dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass perennial grasses, weeds, brush and sedges. yarrow, yellow nutgrass, yellow starthistle, zoysia and many other ragwort, thistle, timothy, torpedograss, trumpetcreeper, vaseygrass pennywort, perennial ryegrass, plantain, poison oak, poison ivy, poison (nutsedge), oak species, oldenlandia, orchardgrass, oxalis\*, pampasgrass, honeysuckle, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky Virginia creeper, white clover, whitetop, wild barley, wild blackberry, hemlock, primrose, purple cudweed\*, purple nutsedge, quackgrass

\*Annual or Perennial

### DIRECTIONS FOR USE

this product. inconsistent with its labeling. Read the entire panel before using It is a violation of Federal law to use this product in a manner

#### **Precautions:**

- dried. Keep children and pets away from treated areas until spray has
- Avoid contamination of food.
- Do not contaminate water supplies.

#### When to use:

control weeds may require a second application if not completely symptoms in 2-4 days and complete kill in 1-2 weeks. Hard-towash away effectiveness. Most treated weeds usually show initia wind is calm. Rain or watering 2 hours after application will not control is accelerated by warm sunny weather. Apply when the sunny day when daytime temperatures are above  $60^\circ$  F. Weed want to kill until thoroughly wet. It's best to apply on a warm form. Completely spray the foliage of the weeds and grasses you dead in 4 weeks Apply to actively growing weeds, preferably before the seed heads

#### How to use:

aluminum or stainless steel tank-type sprayer. on this label (see specific site areas below). Apply with a plastic, weeds and grasses or for treatment of large areas as, instructed This product is formulated for "spot" treatment of individual

### any irrigation system or sprinkling can. Do not apply with galvanized or unlined steel sprayer, or through

and grasses. or vegetable gardens. Apply to evenly and thoroughly wet weeds as for lawn renovation or to prepare sites for planting flower beds treatments. Use the ORTHO Dial 'n Spray to treat large areas such Use a tank-type sprayer with a coarse spray nozzle for spot

# Apply Eraser using any of the following equipment:

- Plastic, aluminum or stainless steel tank sprayer
- ORTHO Dial 'N Spray<sup>®</sup>
- ORTHO Spray-Ette®
- A hose-end sprayer recommended for weed killers
- Hand-trigger pump sprayer

### **Cleaning Application Equipment:**

cleaning, sprayer can be used for other products with water. Spray rinse water on bare soil or gravel. After thorough To clean sprayer after use, triple rinse sprayer and all sprayer parts

with water. Close cap tightly after use. No need to rinse cap. Use the following table to determine the amount of **Eraser** to mix

- 1 teaspoon (tsp)
- 1 tablespoon (Tbs) = 3 tsp.
- 1 fl oz (2 Tbs)
- 2 fl oz (4 Tbs)

	Mixing In:	Mixing Instructions	
Applicator	Weed Control Annuals or Seedling Weeds	Tough Weed Control Perennials or Brush or Lawn Renovation	Area to Treat
Tank Sprayer	Use 1 ½ oz (3 Tbs) Eraser in 1 gallon of water.	Use 2 ½ oz (5 Tbs) Eraser in 1 gallon of water.	300 sq. ft. (30 ft. x 10 ft) or use for spot treatments.
Ortho Dial 'n Spray; or Hose-End sprayer sprayer	Add 1 ½ oz (3 Tbs) Eraser to sprayer jar. DO NOT ADD WATER. Set Dial to 1 ½ and spray.	Add 2 ½ oz (5 Tbs) Eraser to sprayer jar. DO NOT ADD WATER. Set Dial to 2 ½ and spray.	300 sq. ft. (30 ft. x 10 ft)
Ortho Spray-Ette; or 6 Gallon Hose-End Sprayer	Add 6 oz Eraser to sprayer jar. Fill to the 4 gallon mark and spray.	Add 10 oz Eraser to sprayer jar. Fill to the 4 gallon mark and spray.	1200 sq ft (30 ft x 40ft)
Hand trigger sprayers 24 oz capacity	Use 2 tsp in 24 oz of water.	Use 1 Tbs in 24 oz of water.	Use for spot treatments or apply to individual weeds.
Hand trigger sprayers 32 oz capacity	Use 2 2/3 tsp in 32 oz of water.	Use 1 1/3 Tbs in 32 oz of water.	Use for spot treatments or apply to individual weeds.

#### Where to use:

and recommendations on this label. a lawn or parts of a lawn, see For lawn renovation/replacement beds and plantings, around buildings. Controls weeds in brick curbs and driveways, around ornamental trees, shrubs, flower Eraser kills all green plants, including lawn grasses. If replacing NOT recommended for spot weed treatment in lawns, since Weed control: Use near fences, in paths, patios, sidewalks, gravel walks. Use for trimming and edging landscapes.

days before eating the fruit or nuts. to control weeds around fruit or nut trees or grapevines, wait 21 will not move in or on the soil to untreated plants. If **Eraser** is used plastic shield to protect desirable plants from spray or drift. Eraser stems, or exposed roots of plants you like. Use a cardboard or air is calm. Prevent **Eraser** spray from contacting the leaves, green grapevines, shrubs, fences, driveways and walkways. Spray when in and around flower beds, ornamental trees, fruit and nut trees, Spot treatments: Direct spray on undesirable weeds and grasses

plantings. Treated areas can be planted 1 day after treatment. trees, shrubs, desert landscapes, rock gardens, flower beds or similar Landscapes: For use in preparing areas for planting of ornamentals,

plant species. controlled with Eraser to allow for planting or recovery of native planting wildlife food plots. Exotic or undesirable plants can be Wildlife areas site preparation: Use Eraser to prepare areas for remove unwanted plants. Avoid spray drift to desirable plants Spot treatments may be directed to selectively

oz per gallon of water for each 300 sq ft of area to treat. **Eraser**. Do not mow for 7 days before or after treatment. Use 2 1/2 fl the lawn is dry, water lawn every other day for 7 days before applying fall, when daytime temperatures are at least 60° F for best results. If vegetation (weeds and grasses and the old lawn). Apply in spring or For lawn renovation/replacement: Use Eraser to kill existing

or rototilling. Wait 7 days after application to prepare the soil by raking, leveling

fertilizer and soil amendments, if needed. Level the soil Rake up and remove loosened thatch or debris. Work in starter

and sod. moisture. Keep area moist for 2 weeks Sow new seed according to directions on seed package, or install Water as needed grow. Grass seed must have good contact with soil to germinate Use temporary mulch such as straw to conserve to establish new lawn.

hard-to-control species such as blackberry, kudzu, or poison oak. to the following season. A second application may be required on spray the regrowth. Fall applications to brush may delay contro brush or vines. For plants taller than 5 feet, cut them back and To Control Brush or Vines: Apply to green and actively growing

shield shrub and green trunk from drift with a sheet of plastic or directed for stumps or spray regrowth. If spraying regrowth to avoid damage to these plants, cut vine at base and treat as vine. If vine is climbing a shrub or immature (green) tree trunk, to a height of 3 to 4 feet and spray thoroughly covering remaining cardboard. To kill vines growing up a pole, fence or mature tree trunk, cut vine

Stump Treatment: Stumps can be treated to prevent regrowth. (within 5 minutes) after being cut down. Apply Eraser when vegetation is actively growing or immediately

- Cut stump close to the soil surface.
- Make 4-5 nail holes into the stump.
  Flood the stump with undiluted product

giant reed, saltcedar, sweetgum, and tan oak. brush and trees, such as alder, bluegum eucalyptus, madrone, oak, This treatment will suppress or control many types of woody

### When to replant:

### application: berries, fruits, vegetables and herbs may be planted 1 day after All ornamental flowers, trees and shrubs and the following

rhubarb, rutabaga, spinach, sweet potato, turnip and yams parsnips, potato, radish, rape greens, raspberry (black and red), cranberry, currant, dewberry, blueberry, horseradish, huckleberry, kale, kohlrabi, leek, lentils, (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, Artichoke loganberry, mustard greens, okra, olallieberry, onion, parsley, (Jerusalem), boysenberry, beans (all), beet greens, blackberry, broccoli, brussels elderberry, endive, gooseberry, sprouts, cabbage lettuce

### after application: The following fruits, vegetables and herbs may be planted <u>3 days</u>

tomato\* (by seed) and watercress. peppers (all), pumpkin, squash (summer and winter), tomatillo, Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all),

days for rooted tomato transplants. into treated soil. vegetables not listed, wait 30 days after spraying before planting \*Note: Wait 3 days before planting tomatoes from seed and 30 For tomato transplants or

around fruit or nut trees, caneberries and grapevines before the fruits or nuts when using Eraser to control weeds Fruit and Nut Trees, Caneberries and Grapevines: Allow 21 days

### STORAGE AND DISPOS

sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste or leakages, soak up with an absorbent material such as sand out of reach of children and domestic animals. In case of spillage your State Pesticide or Environmental Control Agency, or the be disposed of by use according to label instructions, contact rinsate is a violation of Federal Law. If these wastes cannot Pesticide Disposal: Pesticide wastes are acutely hazardous Storage and Spill Procedures: Store upright at room temperature Office for Guidance. Hazardous Waste representative at the nearest EPA Regiona Improper Avoid exposure to extreme temperatures. Store in a locked area Do not contaminate water, food or feed by storage or disposal. disposal of excess pesticide, spray mixture, q

### **Container Disposal:**

authorities, by burning. If burned, stay out of smoke. of container in a sanitary landfill or, if allowed by State and local container. Do not rinse unless required for recycling. Offer for recycling if available. If recycling is not available: then dispose If empty - Nonrefillable container. Do not reuse or refill this

pour unused product down the drain or on the ground. instructions. Unless otherwise instructed, place in trash. Never If partly filled: Call your local solid waste agency for disposal

or re-circulate water with the pump for 2 minutes. Pour or pump the container about 10 percent full with water. Agitate vigorously from this container into application equipment or mix tank. Fill with pesticides only. Do not reuse this container for any other rinsate into application equipment or rinsate collection system container before final disposal, empty the remaining contents before refilling is the responsibility of the re-filler. To clean the Repeat this procedure two more times. responsibility of the person disposing of the container. Cleaning purpose. For Bulk containers: (Refillable Container) Refill this container Cleaning the container before final disposal is the

### WARRANTY STATEMENT

election, the replacement of this product. strict liability, or otherwise, shall be damages not exceeding the of this product, whether in contract, warranty, tort, negligence, of this product for any and all losses, injuries, or damage resulting particular trade usage. The exclusive remedy of any buyer or user or by usage of trade, statutory or otherwise, with regard to the or representations of the U.S. Environmental Protection Agency. Except, as expressly suspension or cancellation of the registration for this product by to any reimbursement for any loss suffered as a result of any purchaser of this product (other than an end user) shall be entitled shall be assumed by the Buyer. In addition to the foregoing, no resulting from the use or handling of this product. All such risks shall not be liable for consequential, special, or indirect damages the extent allowed by applicable law, Control Solutions, Inc all of which are beyond the control of Control Solutions, Inc. presence of other materials, or the manner of use or application, eliminate all risks inherently associated with use of this product. with directions under normal use conditions. It is impossible to for purposes stated on such label only when used in accordance chemical description on the label thereof and is reasonably fit Control Solutions, Inc. warrants that this product conforms to the purchase price paid for this product or, at Control Solutions, Inc from or in any way arising from the use, handling, or application for a particular purpose, use or eligibility of the product for any product sold, including, but not limited to merchantability, fitness law, Control Solutions, Inc. makes no warranties, guarantees provided herein and to the extent consistent with applicable may result Crop injury, ineffectiveness, or other unintended consequences because of such factors as any kind, either expressed or implied, weather conditions, Ч



### **WEED & GRASS KILLER** CONCENTRATE

### **ACTIVE INGREDIENT:**

.100.00%	TOTAL: 100.00%
	OTHER INGREDIENTS: 59.00%
41.00%	isopropylamine salt41.00%
	glycine], in the form of its
	*Glyphosate, [N-(phosphonomethyl)

EPA Reg. No. 53883-286 EPA Est. No. 53883-TX-002

\*Acid equivalent or glyphosate content = 30.34%

### **KEEP OUT OF REACH OF CHILDREN** CAUTION

See attached booklet for additional Precautionary Statements, First Aid and Directions for Use.

### 5903 Genoa-Red Bluff

5903 Genoa-Red Bluff Pasadena, TX 77507-1041

NET CONTENTS: 1 QUART

0611

CONTROL SOLUTIONS, INC.	See inside booklet for additional Precautionary Statements, First Aid and Directions for Use.	KEEP OUT OF REACH OF CHILDREN	EPA Reg. No. 53883-286 EPA Est. No. 53883-TX-002	valent or glyphosate content = 30.34%	ACTIVE INGREDIENT: *Glyphosate, [N-(phosphonomethyl) glycine], in the form of its isopropylamine salt	WEED & GRASS KILLER CONCENTRATE		Martins
-------------------------	--	-------------------------------	--	---------------------------------------	---	---------------------------------	--	---------

NET CONTENTS: 1 GALLON

5903 Genoa-Red Bluff Pasadena, TX 77507-1041

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

#### CAUTION

clothing. Wash thoroughly with soap and water after handling Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or

#### FIRST AID

treatment information. for treatment. You may also contact SafetyCall® International (866) 897-8050 for emergency medical Have the product container or label with you when calling a poison control center or doctor or going

<b>IF ON SKIN</b>	<b>IF ON SKIN</b> • Take off contaminated clothing.
	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF IN EYES</b>	<b>IF IN EYES</b> • Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Domotion control longon if propost after the first E minutes then continue

- <u>v</u>
- • Call a poison control center or doctor for treatment advice Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye

### **ENVIRONMENTAL HAZARDS**

application equipment over the treated area will help avoid run off to water bodies or drainage systems hours will help to ensure that wind or rain does not below or wash pesticide off the treatment area. Rinsing gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next. 24 To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches,

# Eraser™ eliminates nearly all common weeds and grasses and unwanted vegetation.

flower garden preparation. or wildlife food plots. Eraser can also be used for large jobs such as lawn renovation and vegetable and **Eraser** is suited for lawn renovation or to prepare large sites for planting of flower beds, vegetable gardens shrubs, and around buildings to control weeds and unwanted vegetation. Use Eraser for edging landscapes. Add water and use along fences, in driveways, sidewalks, brick and gravel walkways, next to trees and

For edging around lawns.

nearby untreated plants. by the plant is broken down into natural materials. This product has no soil activity and thus will not affect If desirable plants are accidentally sprayed, wash plants with water immediately. Any Eraser not absorbed lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants Important: This product is a non-selective herbicide that will kill all vegetation contacted. This herbicide

approximately 300 sq ft. Mixing Directions: For best results use 2 1/2 oz (5 Tbs) per gallon of water. One gallon of water will treat

Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application.

### CONTROLS ALL TYPES OF WEEDS AND GRASSES INCLUDING: Annual weeds and grasses:

diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp witchgrass, wild mustard, yellow nutgrass, yellow oxalis and many other annual grasses and weeds. spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium\*, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, pennywort, pigweed, pickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, rocket, sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London groundsel; common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, maiden cane, mallow, mayweed, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed,

### Perennial weeds, grasses and brush:

and sedges willow, yarrow, yellow nutgrass, yellow starthistle, zoysia and many other perennial grasses, weeds, brush clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, wild-sweet potato, fescue, tansy ragwort, thistle, timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white ragweed, raspberry, red clover smooth bromegrass, sourdock, sowthistle, St. Augustinegrass, sumac, tall oak, poison ivy, poison hemlock, primrose, purple cudweed\*, purple nutsedge, quackgrass, quaking aspen, species, oldenlandia, orchardgrass, oxalis\*, pampasgrass, pennywort, perennial ryegrass, plantain, poison lantana, maiden cane, milkweed, mouseear chickweed\*, multflora rose, nimblewill, nutgrass (nutsedge), oak horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, kudzu, fennel, elderberry, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, honeysuckle, creeping bentgrass, creeping Charlie, creeping lantana, curly dock, dallisgrass, dandelion, dewberry, dog centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coralbead, coyote brush, broadleaf plantain, brownseed paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermuda grass, blackberries, bluegrass,

\*Annual or Perennial

### **DIRECTIONS FOR USE**

panel before using this product. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire

#### **Precautions:**

- Keep children and pets away from treated areas until spray has dried
- Avoid contamination of food.
- Do not contaminate water supplies.

#### When to use:

may require a second application if not completely dead in 4 weeks. weeds usually show initial symptoms in 2-4 days and complete kill in 1-2 weeks. Hard-to-control weeds the wind is calm. Rain or watering 2 hours after application will not wash away effectiveness. Most treated daytime temperatures are above 60° F. Weed control is accelerated by warm sunny weather. Apply when the weeds and grasses you want to kill until thoroughly wet. It's best to apply on a warm sunny day when Apply to actively growing weeds, preferably before the seed heads form. Completely spray the foliage of

#### How to use:

steel tank-type sprayer. This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as, instructed on this label (see specific site areas below). Apply with a plastic, aluminum or stainless

# Do not apply with galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.

gardens. Apply to evenly and thoroughly wet weeds and grasses. to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable Use a tank-type sprayer with a coarse spray nozzle for spot treatments. Use the ORTHO Dial 'n Spray

# Apply Eraser using any of the following equipment:

- Plastic, aluminum or stainless steel tank sprayer
- ORTHO Dial 'N Spray<sup>®</sup>
- ORTHO Spray-Ette®
- A hose-end sprayer recommended for weed killers
- Hand-trigger pump sprayer

### **Cleaning Application Equipment:**

soil or gravel. After thorough cleaning, sprayer can be used for other products To clean sprayer after use, triple rinse sprayer and all sprayer parts with water. Spray rinse water on bare

No need to rinse cap. Use the following table to determine the amount of **Eraser** to mix with water. Close cap tightly after use.

- 1 teaspoon (tsp)
- 1 tablespoon (Tbs) = 3 tsp.
- 1 fl oz (2 Tbs)
- 2 fl oz (4 Tbs)

	Mixing Instructions	structions	
Applicator	Weed Control Annuals or Seedling Weeds	Tough Weed Control Perennials or Brush or Lawn Renovation	Area to Treat
Tank Sprayer	Use 1 ½ oz (3 Tbs) Eraser in 1 gallon of water.	Use 2 ½ oz (5 Tbs) Eraser in 1 gallon of water.	300 sq. ft. (30 ft. x 10 ft) or use for spot treatments.
Ortho Dial 'n Spray; or Hose-End sprayer	Add 1 ½ oz (3 Tbs) Eraser to sprayer jar. DO NOT ADD WATER. Set Dial to 1 ½ and spray.	Add 2 ½ oz (5 Tbs) Eraser to sprayer jar. DO NOT ADD WATER. Set Dial to 2 ½ and spray.	300 sq. ft. (30 ft. x 10 ft)
Ortho Spray-Ette; <i>or</i> 6 Gallon Hose-End Sprayer Sprayer	Add 6 oz Eraser to sprayer jar. Fill to the 4 gallon mark and spray.	Add 10 oz Eraser to sprayer jar. Fill to the 4 gallon mark and spray.	1200 sq ft (30 ft × 40ft)
Hand trigger sprayers 24 oz capacity	Use 2 tsp in 24 oz of water.	Use 1 Tbs in 24 oz of water.	Use for spot treatments or apply to individual weeds.
Hand trigger sprayers 32 oz capacity	Use 2 2/3 tsp in 32 oz of water.	Use 1 1/3 Tbs in 32 oz of water.	Use for spot treatments or apply to individual weeds.

#### Where to use:

replacement recommendations on this label. all green plants, including lawn grasses. If replacing a lawn or parts of a lawn, see For lawn renovation/ trimming and edging landscapes. NOT recommended for spot weed treatment in lawns, since Eraser kills shrubs, flower beds and plantings, around buildings. Controls weeds in brick and gravel walks. Use for Weed control: Use near fences, in paths, patios, sidewalks, curbs and driveways, around ornamental trees,

days before eating the fruit or nuts soil to untreated plants. If Eraser is used to control weeds around fruit or nut trees or grapevines, wait 21 cardboard or plastic shield to protect desirable plants from spray or drift. Eraser will not move in or on the Prevent Eraser spray from contacting the leaves, green stems, or exposed roots of plants you like. Use a trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Spot treatments: Direct spray on undesirable weeds and grasses in and around flower beds, ornamental

gardens, flower beds or similar plantings. Treated areas can be planted 1 day after treatment. Landscapes: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock

plants. Spot treatments may be directed to selectively remove unwanted plants. Avoid spray drift to desirable undesirable plants can be controlled with **Eraser** to allow for planting or recovery of native plant species. Wildlife areas site preparation: Use Eraser to prepare areas for planting wildlife food plots. Exotic or

treatment. Use 2 1/2 fl oz per gallon of water for each 300 sq ft of area to treat. dry, water lawn every other day for 7 days before applying **Eraser**. Do not mow for 7 days before or after lawn). Apply in spring or fall, when daytime temperatures are at least 60° F for best results. If the lawn is For lawn renovation/replacement: Use Eraser to kill existing vegetation (weeds and grasses and the old

Wait 7 days after application to prepare the soil by raking, leveling or rototilling.

Rake up and remove loosened thatch or debris. Work in starter fertilizer and soil amendments, if needed. Level the soil.

moist for 2 weeks to establish new lawn. Water as needed with soil to germinate and grow. Use temporary mulch such as straw to conserve moisture. Keep area Sow new seed according to directions on seed package, or install sod. Grass seed must have good contact

A second application may be required on hard-to-control species such as blackberry, kudzu, or poison oak. cut them back and spray the regrowth. Fall applications to brush may delay control to the following season. To Control Brush or Vines: Apply to green and actively growing brush or vines. For plants taller than 5 feet,

regrowth shield shrub and green trunk from drift with a sheet of plastic or cardboard damage to these plants, cut vine at base and treat as directed for stumps or spray regrowth. If spraying thoroughly covering remaining vine. If vine is climbing a shrub or immature (green) tree trunk, to avoid To kill vines growing up a pole, fence or mature tree trunk, cut vine to a height of 3 to 4 feet and spray

growing or immediately (within 5 minutes) after being cut down. Stump Treatment: Stumps can be treated to prevent regrowth. Apply Eraser when vegetation is actively

- Cut stump close to the soil surface
- Make 4-5 nail holes into the stump.

eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak. This treatment will suppress or control many types of woody brush and trees, such as alder, bluegum Flood the stump with undiluted product.

#### When to replant:

# planted 1 day after application: All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be

sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentils, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams. loganberry, mustard Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, greens, okra, olallieberry, onion, parsley, parsnips, potato, radish, rape brussels currant, greens, lettuce,

# The following fruits, vegetables and herbs may be planted <u>3 days</u> after application:

and winter), tomatillo, tomato\* (by seed) and watercress. Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumpkin, squash (summer

using Eraser to control weeds around fruit or nut trees, caneberries and grapevines Fruit and Nut Trees, Caneberries and Grapevines: Allow 21 days before the fruits or nuts when tomato transplants or vegetables not listed, wait 30 days after spraying before planting into treated soil. \*Note: Wait 3 days before planting tomatoes from seed and 30 days for rooted tomato transplants. For

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

of with chemical waste. leakages, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc. Dispose temperatures. Store in a locked area out of reach of children and domestic animals. In case of spillage or Storage and Spill Procedures: Store upright at room temperature. Avoid exposure to extreme

to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according Waste representative at the nearest EPA Regional Office for Guidance. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray

### **Container Disposal:**

place in trash. Never pour unused product down the drain or on the ground. for recycling. Offer for recycling if available. If recycling is not available: then dispose of container in If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. If empty - Nonrefillable container. Do not reuse or refill this container. Do not rinse unless required

the container before final disposal, empty the remaining contents from this container into application circulate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or reperson disposing of the container. Cleaning before refilling is the responsibility of the re-filler. To clean container for any other purpose. Cleaning the container before final disposal is the responsibility of the collection system. Repeat this procedure two more times. For Bulk containers: (Refillable Container) Refill this container with pesticides only. Do not reuse this

### WARRANTY STATEMENT

election, the replacement of this product. or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by Protection Agency. Except, as expressly provided herein and to the extent consistent with applicable law, Control loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, is reasonably fit for purposes stated on such label only when used in accordance with directions under normal Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and To the extent allowed by applicable law, Control Solutions, Inc. shall not be liable for consequential, special, or indirect



#### **ERASER**<sup>™</sup> WEED & GRASS KILLER CONCENTRATE

#### **ACTIVE INGREDIENT:**

*Glyphosate, [N-(phosphonomethyl)	
glycine], in the form of its isopropylamine salt	
OTHER INGREDIENTS:	
TOTAL:	100.00%

\*Acid equivalent or glyphosate content = 30.34%

**EPA** Reg. No. 53883-286 **EPA** Est. No. 53883-TX-002

#### KEEP OUT OF REACH OF CHILDREN CAUTION

See attached booklet for additional Precautionary Statements, First Aid and Directions for Use.

#### **CONTROL SOLUTIONS, INC.**

5903 Genoa-Red Bluff Pasadena, TX 77507-1041

#### NET CONTENTS: 1 GALLON